ELSEVIER

Journal of Materials Processing Technology 183 (2007) 455–456

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Author Index of Volume 183

Abdullah, A., 165
Abo-Naf, S.M., 264
Ahsan, M., 234
Aleem, A., 234
Antonelli, L., 127

Bahgat, M., 117
Baptista, A.M., 358
Barzegari, M., 165
Basir, S.M.A., 117
Bhattacharya, B., 122
Boyle, D., 333
Buyuksagis, I.S., 399

Çadırlı, E., 310
Cao, G., 33
Cavaliere, P., 297
Chand, N., 155
Chen, J.T., 62
Cheng, C.-W., 183
Chryssolouris, G., 96
Ciampini, D., 347
Cui, C., 380
Cui, J.-z., 194

Dargahi, J., 176
Davim, J.P., 358
Deng, D., 219
Dimov, S., 284
Dulias, U., 264
Dwivedi, U.K., 155

Eivani, A.R., 148
Elizalde, M.R., 390
Engin, O., 38
Erdem Alaca, B., 77
Esteban, L., 390

Farahi, M., 165
Farghaly, F.E., 117
Fernandes, P., 1
Fouad, O.A., 117

Gahr, K.-H.Z., 264
Gantt, J.A., 140
Gatzke, E.P., 140
Gerthsen, D., 160
Godkhindi, M.M., 122
Gopala Krishna, A., 202
Griffiths, C., 284
Groche, P., 249
Gu, J., 374
Guan, H.R., 440
Guan-long, C., 339
Gündüz, M., 310
Guo, S.-j., 194
Guo, Z., 380
Gupta, M., 104

Han, J., 445
Han, W., 450
Hawecker, J., 160
Hoffmann, M.J., 264
Holzer, S., 264
Hong, C., 445
Hu, J., 380
Hu, Z.Q., 440
Huang, M.-S., 419

Im, Y.-T., 241
Ito, M., 277
Iyama, T., 277

Jöckel, M., 249

Kang, C.G., 18
Kang, S.-H., 241
Karatas, C., 234
Karimi Taheri, A., 148
Karthikeyan, R., 104
Kaushik, N.K., 273
Kaya, I., 38
Kaya, H., 310
Khalil, K.A., 432
Khamba, J.S., 363
Khan, M.A., 273
Khanra, A.K., 122
Kim, H.C., 18
Kök, M., 301
Krishnamurthy, R., 88
Kumar, D.R., 321
Kumar, H., 321

Lazoglu, I., 77
Le, Q.-c., 194
Lee, W.-S., 183
Li, C.S., 425
Li, L., 432
Li, M., 71
Li, Q., 412
Li, S.-B., 57
Li, X., 6
Li, Y., 432
Liang, W., 219
Lin, C.-F., 183
Lin, Y., 71
Liu, B., 176
Liu, C.-Y., 183
Liu, H., 386
Liu, X.H., 425
Lohfeld, S., 333
López, M., 226
López-Cuevas, J., 368
Luo, J., 71
Lv, B., 33

Malhotra, S.K., 88
Martín, F., 226
Martín, Ó., 226
McAllen, P.J., 210
McHugh, P., 333
Mckay, K.N., 277
Meng, S., 445
Mishra, A.K., 273
Mishra, S.B., 273
Mizuno, M., 277
Murakawa, H., 219

Najarian, S., 176
Nath, A.K., 321

O'Donnell, G., 333
Ocaña, I., 390
Okolo, B., 160
Ortega-Celaya, F., 368
Ozdemir, I., 13
Özdin, K., 301

Packianather, M.S., 284
Pak, A., 165
Palathra, T., 140
Pan, H., 71
Panda, S.K., 321
Panella, F., 297
Papini, M., 347
Park, Y.H., 256
Pathak, L.C., 122
Pech-Canul, M.A., 368
Pech-Canul, M.I., 368
Peckitt, N., 333
Pérez-Willard, F., 160
Phelan, P., 210
Prabhu, K.N., 1

Elsevier B.V.
doi:10.1016/S0924-0136(07)00044-1

Qu, G., 407

Raabe, D., 169
Raju, K.S., 111
Ramanathan, S., 104
Rao, S.M., 111
Rendón-Ángeles, J.C., 368
Roters, F., 169

Salonitis, K., 96
Salvini, P., 127
Sarkar, B.R., 122
Schneider, J., 264
Seo, P.K., 18
Serban, D., 333
Sha, B., 284
Shen, C., 412
Silva, J., 358
Singh, R., 363
Singh, V., 111
Spelt, J.K., 347
Sreejith, P.S., 88
Stavropoulos, P., 96
Stournaras, A., 96
Sun, X.F., 440

Tamaki, J., 277
Tathavadkar, V., 111
Tikhovskiy, I., 169
Tsoukantas, G., 96

Ulutan, D., 77

Vivio, F., 127
Vucic, D., 249
Vullo, V., 127

Wang, F., 386
Wang, G., 450
Wang, G.D., 425
Wang, H., 380
Wang, L., 412
Wang, Y., 374
Wang, Z., 6
Wanner, A., 160
Wu-rong, W., 339

Xie, J.-X., 57
Xiong, B., 386

Yang, J., 407
Yao, M., 49
Yilbas, B.S., 234
Yilmaz, S., 13
Yin, F.S., 440
Yin, H., 49

Zhang, F., 33
Zhang, H.W., 62
Zhang, J., 33
Zhang, K., 450
Zhang, R., 386
Zhang, X., 445
Zhang, X.-j., 194
Zhang, Y., 386
Zhang, Z., 62
Zhao, Y.-W., 374
Zhao, Z.-h., 194
Zheng, Q., 440
Zhong-qin, L., 339
Zhou, X., 407
Zhu, B., 386

ELSEVIER

Journal of Materials Processing Technology 183 (2007) 457–463

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Subject Index of Volume 183

Ablative composite
Effect of specific cutting pressure and temperature during machining of carbon/phenolic ablative composite using PCBN tools, 88
Abrasive wear
Wear resistance of aluminium alloy and its composites reinforced by Al_2O_3 particles, 301
Acoustic emission
Effect of specific cutting pressure and temperature during machining of carbon/phenolic ablative composite using PCBN tools, 88
Al/SiC_p composites
Microstructure and impact behavior of Al/SiC_p composites fabricated by pressureless infiltration with different types of SiC_p, 368
Al_2O_3 particle
Wear resistance of aluminium alloy and its composites reinforced by Al_2O_3 particles, 301
Aluminium alloy
Simulation of earing during deep drawing of an Al–3% Mg alloy (AA 5754) using a texture component crystal plasticity FEM, 169
Aluminum alloy sheet
A new strategy to optimize variable blank holder force towards improving the forming limits of aluminum sheet metal forming, 339
Aluminum carbide
Microstructure and impact behavior of Al/SiC_p composites fabricated by pressureless infiltration with different types of SiC_p, 368
Angular distortion
Determination of welding deformation in fillet-welded joint by means of numerical simulation and comparison with experimental measurements, 219
Anisotropy
High stress abrasive wear study on bamboo, 155
Simulation of earing during deep drawing of an Al–3% Mg alloy (AA 5754) using a texture component crystal plasticity FEM, 169
Artificial neural networks
Predicting the performance of submerged arc furnace with varied raw material combinations using artificial neural network, 111
Artificial neural networks for quality control by ultrasonic testing in resistance spot welding, 226
Optimization of injection molding process parameters using combination of artificial neural network and genetic algorithm method, 412
Assembly error
Optimal matching for inline resource selection when errors exist in error measurement—A relay production system case study, 277
Attribute control chart (ACC)
A new approach to define sample size at attributes control chart in multistage processes: An application in engine piston manufacturing process, 38
Attribute control charts
A new approach to define sample size at attributes control chart in multistage processes: An application in engine piston manufacturing process, 38
Axisymmetric drawing
Numerical analysis of axisymmetric wire drawing by means of a coupled damage model, 210
Bamboo
High stress abrasive wear study on bamboo, 155
Numerical analysis of axisymmetric wire drawing by means of a coupled damage model, 210
Bending adaptive control
Identification of elasto-plastic characteristics by means of air-bending test, 127
Bi–Cd alloys
Eutectic growth of unidirectionally solidified bismuth–cadmium alloy, 310
Binder
Fabrication of thin-walled 316L stainless steel seamless pipes by extrusion technology, 57
Blank holder force
A new strategy to optimize variable blank holder force towards improving the forming limits of aluminum sheet metal forming, 339
Blast furnace slag
Processing of unglazed ceramic tiles from blast furnace slag, 13
Blends
Study of performance properties of lignin-based polyblends with polyvinyl chloride, 273
Bonding properties
Study on synthesis and properties of modified starch binder for foundry, 407
Capacitor discharge welding technology
Mechanical and microstructural behaviour of CMSX-4 Ni-based superalloy joined by capacitor discharge welding, 297
Carbides
Laser treatment of cemented carbide cutting tool, 234
Effect of melt treatment on carbides formation in a cast nickel-base superalloy M963, 440
Carbon steel
Finite element investigation of multi-phase transformation within carburized carbon steel, 241
Cavity pressure
Cavity pressure based grey prediction of the filling-to-packing switchover point for injection molding, 419
Cemented
Laser treatment of cemented carbide cutting tool, 234
Cemented tungsten carbide
Profile wear of resin-bonded nickel-coated diamond wheel and roughness in creep-feed grinding of cemented tungsten carbide, 165
Central burst
Numerical analysis of axisymmetric wire drawing by means of a coupled damage model, 210
Ceramic–metal
Influence of hot pressing on microstructure and mechanical properties of combustion synthesized TiB_2–Cu–Ni composite, 445

Elsevier B.V.
doi:10.1016/S0924-0136(07)00045-3

Chemical–mechanical polishing
A new nonlinear-micro-contact model for single particle in the chemical–mechanical polishing with soft pad, 374
Clay
Processing of unglazed ceramic tiles from blast furnace slag, 13
Cluster
Effect of specific cutting pressure and temperature during machining of carbon/phenolic ablative composite using PCBN tools, 88
Coalescence kernel
Analysis of the multidimensional behavior of granulation, 140
Combustion synthesis
Influence of hot pressing on microstructure and mechanical properties of combustion synthesized TiB_2–Cu–Ni composite, 445
Composites
Performance of ZrB_2–Cu composite as an EDM electrode, 122
Mechanical and tribological properties of Nd- and Yb-SiAlON composites sintered by hot isostatic pressing, 264
Wear resistance of aluminium alloy and its composites reinforced by Al_2O_3 particles, 301
Compounds
An investigation on the microstructure and mechanical properties of spray-deposited Al–8.5Fe–1.1V–1.9Si alloy, 386
Constitutive equation
High temperature deformation behavior of near alpha Ti–5.6Al–4.8Sn–2.0Zr alloy, 71
Core sand
Study on synthesis and properties of modified starch binder for foundry, 407
Corrected smooth particle hydrodynamics
Ring upsetting simulation by the meshless method of corrected smooth particle hydrodynamics, 425
Corrosion
Mechanical and microstructural behaviour of CMSX-4 Ni-based superalloy joined by capacitor discharge welding, 297
Creep-feed grinding
Profile wear of resin-bonded nickel-coated diamond wheel and roughness in creep-feed grinding of cemented tungsten carbide, 165
Critical speed
Effect of specific cutting pressure and temperature during machining of carbon/phenolic ablative composite using PCBN tools, 88
Crystal plasticity
Simulation of earing during deep drawing of an Al–3% Mg alloy (AA 5754) using a texture component crystal plasticity FEM, 169
Current mode
Effects of strain rate and welding current mode on microstructural properties of SUS 304L PAW welds, 183
Customised implants
Engineering Assisted Surgery™: A route for digital design and manufacturing of customised maxillofacial implants, 333

Damage
Numerical analysis of axisymmetric wire drawing by means of a coupled damage model, 210
Deep drawing
Simulation of earing during deep drawing of an Al–3% Mg alloy (AA 5754) using a texture component crystal plasticity FEM, 169
Deformable objects
Sensitivity analysis of a novel tactile probe for measurement of tissue softness with applications in biomedical robotics, 176
Densification
Influence of hot pressing on microstructure and mechanical properties of combustion synthesized TiB_2–Cu–Ni composite, 445
Diamond sawblade
Effect of cutting mode on the sawability of granites using segmented circular diamond sawblade, 399
Die design
Numerical integration design process to development of suspension parts by semi-solid die casting process, 18
Differential evolution
Optimization of surface grinding operations using a differential evolution approach, 202
Diffusion bonding
Superplastic forming and diffusion bonding for honeycomb structure of Ti–6Al–4V alloy, 450
Dislocation
Effects of strain rate and welding current mode on microstructural properties of SUS 304L PAW welds, 183
Down-cutting
Effect of cutting mode on the sawability of granites using segmented circular diamond sawblade, 399
Drilling
A theoretical and experimental investigation on limitations of pulsed laser drilling, 96

Earing
Simulation of earing during deep drawing of an Al–3% Mg alloy (AA 5754) using a texture component crystal plasticity FEM, 169
ECAE
A new method for estimating strain in equal channel angular extrusion, 148
EDM
Performance of ZrB_2–Cu composite as an EDM electrode, 122
Elasto-plasticity
Rigid-plastic analysis for metal forming processes using a reproducing kernel particle method, 256
Electrical contact heating
Application of electrical contact heating in grain refining of ultra-pure 42CrMoVNb steel, 33
Electrode
Performance of ZrB_2–Cu composite as an EDM electrode, 122
Electromagnetic DC casting
Numerical simulation of electromagnetic DC casting of magnesium alloys, 194
Engine piston manufacturing
A new approach to define sample size at attributes control chart in multistage processes: An application in engine piston manufacturing process, 38
Engineering Assisted Surgery™
Engineering Assisted Surgery™: A route for digital design and manufacturing of customised maxillofacial implants, 333
Equivalent plastic strain
3D modeling of material flow in friction stir welding under different process parameters, 62
Eutectic growth
Eutectic growth of unidirectionally solidified bismuth–cadmium alloy, 310
Extrusion technology
Fabrication of thin-walled 316L stainless steel seamless pipes by extrusion technology, 57

Fatigue
Thermo-fatigue life evaluation of SnAgCu solder joints in flip chip assemblies, 6
FCC
Simulation of earing during deep drawing of an Al–3% Mg alloy (AA 5754) using a texture component crystal plasticity FEM, 169
FEM
Mechanical characterization and finite element modelling of lateral spread in rolling of low carbon steels, 390
Ferrites
Synthesis, characterization and magnetic properties of microcrystalline lithium cobalt ferrite from spent lithium-ion batteries, 117
Filling-to-packing switchover
Cavity pressure based grey prediction of the filling-to-packing switchover point for injection molding, 419

Film properties
Study of performance properties of lignin-based polyblends with polyvinyl chloride, 273
Finite difference method
Analytical modelling of residual stresses in machining, 77
Finite element analysis
Engineering Assisted Surgery™: A route for digital design and manufacturing of customised maxillofacial implants, 333
Finite element method
3D modeling of material flow in friction stir welding under different process parameters, 62
Finite element simulation
Simulation of earing during deep drawing of an Al–3% Mg alloy (AA 5754) using a texture component crystal plasticity FEM, 169
Flip chip
Thermo-fatigue life evaluation of SnAgCu solder joints in flip chip assemblies, 6
Flow formulation
Rigid-plastic analysis for metal forming processes using a reproducing kernel particle method, 256
Flow stress prediction
Development of processing maps for Al/SiC_p composite using fuzzy logic, 104
Focused ion beam
Focused ion beam study of the effects of shot peening on the subsurface microstructure of normalized pearlitic steel, 160
Force
Analytical modelling of residual stresses in machining, 77
Impact velocity measurement of media in a vibratory finisher, 347
Forming limits
A new strategy to optimize variable blank holder force towards improving the forming limits of aluminum sheet metal forming, 339
Friction stir welding
3D modeling of material flow in friction stir welding under different process parameters, 62
Frictionless
A new method for estimating strain in equal channel angular extrusion, 148
FTIR
Study of performance properties of lignin-based polyblends with polyvinyl chloride, 273
Fuzzy logic
Development of processing maps for Al/SiC_p composite using fuzzy logic, 104

Genetic algorithms
A new approach to define sample size at attributes control chart in multistage processes: An application in engine piston manufacturing process, 38
Optimization of injection molding process parameters using combination of artificial neural network and genetic algorithm method, 412
Granite
Effect of cutting mode on the sawability of granites using segmented circular diamond sawblade, 399
Grey predictor
Cavity pressure based grey prediction of the filling-to-packing switchover point for injection molding, 419
Growth mechanism
Influence of hot pressing on microstructure and mechanical properties of combustion synthesized TiB_2–Cu–Ni composite, 445

Hardness
Effect of specific cutting pressure and temperature during machining of carbon/phenolic ablative composite using PCBN tools, 88
In situ TiC particles reinforced grey cast iron composite fabricated by laser cladding of Ni–Ti–C system, 380
Heat flux transients
Effect of section size and agitation on heat transfer during quenching of AISI 1040 steel, 1
High speed steel
Investigation for ultrasonic machining of titanium and its alloys, 363
High stress abrasive wear
High stress abrasive wear study on bamboo, 155
High temperature deformation
High temperature deformation behavior of near alpha Ti–5.6Al–4.8Sn–2.0Zr alloy, 71
Honeycomb structure
Superplastic forming and diffusion bonding for honeycomb structure of Ti–6Al–4V alloy, 450
Hot pressing
Influence of hot pressing on microstructure and mechanical properties of combustion synthesized TiB_2–Cu–Ni composite, 445
Hot rolling
Mechanical characterization and finite element modelling of lateral spread in rolling of low carbon steels, 390

Impact
Impact velocity measurement of media in a vibratory finisher, 347
Impact strength
Microstructure and impact behavior of Al/SiC_p composites fabricated by pressureless infiltration with different types of SiC_p, 368
In situ
In situ TiC particles reinforced grey cast iron composite fabricated by laser cladding of Ni–Ti–C system, 380
Injection molding
Cavity pressure based grey prediction of the filling-to-packing switchover point for injection molding, 419
In-process material identification
Identification of elasto-plastic characteristics by means of air-bending test, 127
Interstitial-free steel
Characterization of tensile properties of tailor welded IF steel sheets and their formability in stretch forming, 321
Inverse modeling
Effect of section size and agitation on heat transfer during quenching of AISI 1040 steel, 1
Inverse problem
Inverse problem-based analysis on non-uniform profiles of thermal resistance between strand and mould for continuous round billets casting, 49

Lamellar spacing
Eutectic growth of unidirectionally solidified bismuth–cadmium alloy, 310
Laser
Laser treatment of cemented carbide cutting tool, 234
Laser beam machining
A theoretical and experimental investigation on limitations of pulsed laser drilling, 96
Laser cladding
In situ TiC particles reinforced grey cast iron composite fabricated by laser cladding of Ni–Ti–C system, 380
Laser welding
Characterization of tensile properties of tailor welded IF steel sheets and their formability in stretch forming, 321
Latent heat
Finite element investigation of multi-phase transformation within carburized carbon steel, 241
Lateral spread
Mechanical characterization and finite element modelling of lateral spread in rolling of low carbon steels, 390
Lead free
Thermo-fatigue life evaluation of SnAgCu solder joints in flip chip assemblies, 6

Lignin
Study of performance properties of lignin-based polyblends with polyvinyl chloride, 273
Linear flow splitting
Basics of linear flow splitting, 249

Machining
Analytical modelling of residual stresses in machining, 77
Machining error
Optimal matching for inline resource selection when errors exist in error measurement—A relay production system case study, 277
Magnesium alloy
Numerical simulation of electromagnetic DC casting of magnesium alloys, 194
Magnetic properties
Synthesis, characterization and magnetic properties of microcrystalline lithium cobalt ferrite from spent lithium-ion batteries, 117
α' martensite
Effects of strain rate and welding current mode on microstructural properties of SUS 304L PAW welds, 183
Material flow
3D modeling of material flow in friction stir welding under different process parameters, 62
Measurement error
Optimal matching for inline resource selection when errors exist in error measurement—A relay production system case study, 277
Mechanical milling
Focused ion beam study of the effects of shot peening on the subsurface microstructure of normalized pearlitic steel, 160
Mechanical properties
Mechanical and tribological properties of Nd- and Yb-SiAlON composites sintered by hot isostatic pressing, 264
An investigation on the microstructure and mechanical properties of spray-deposited Al–8.5Fe–1.1V–1.9Si alloy, 386
Medium carbon alloy steel
Application of electrical contact heating in grain refining of ultra-pure 42CrMoVNb steel, 33
Melt treatment
Effect of melt treatment on carbides formation in a cast nickel-base superalloy M963, 440
Merchant equation
Experimental cutting model of metal matrix composites (MMCs), 358
Meshfree method
Rigid-plastic analysis for metal forming processes using a reproducing kernel particle method, 256
Meshless method
Ring upsetting simulation by the meshless method of corrected smooth particle hydrodynamics, 425
Metal forming
Rigid-plastic analysis for metal forming processes using a reproducing kernel particle method, 256
Metal injection molding
Effect of powder loading on metal injection molding stainless steels, 432
Metal matrix composites (MMCs)
Development of processing maps for Al/SiC_p composite using fuzzy logic, 104
Wear resistance of aluminium alloy and its composites reinforced by Al_2O_3 particles, 301
Experimental cutting model of metal matrix composites (MMCs), 358
Metal removal rate
Performance of ZrB_2–Cu composite as an EDM electrode, 122
Microcrystalline materials
Synthesis, characterization and magnetic properties of microcrystalline lithium cobalt ferrite from spent lithium-ion batteries, 117
Micro-features
Investigation of micro-injection moulding: Factors affecting the replication quality, 284
Micro-injection moulding
Investigation of micro-injection moulding: Factors affecting the replication quality, 284
Microstructure
Fabrication of thin-walled 316L stainless steel seamless pipes by extrusion technology, 57
Focused ion beam study of the effects of shot peening on the subsurface microstructure of normalized pearlitic steel, 160
Mechanical and tribological properties of Nd- and Yb-SiAlON composites sintered by hot isostatic pressing, 264
In situ TiC particles reinforced grey cast iron composite fabricated by laser cladding of Ni–Ti–C system, 380
An investigation on the microstructure and mechanical properties of spray-deposited Al–8.5Fe–1.1V–1.9Si alloy, 386
Modified starch binder
Study on synthesis and properties of modified starch binder for foundry, 407
Multidimensional model
Analysis of the multidimensional behavior of granulation, 140
Multi-stage die
A new method for estimating strain in equal channel angular extrusion, 148
Multistage inspection problems
A new approach to define sample size at attributes control chart in multistage processes: An application in engine piston manufacturing process, 38
Multivariable linear regression
Predicting the performance of submerged arc furnace with varied raw material combinations using artificial neural network, 111

Non-destructive testing
Artificial neural networks for quality control by ultrasonic testing in resistance spot welding, 226
Nonlinear
A new nonlinear-micro-contact model for single particle in the chemical–mechanical polishing with soft pad, 374
Numerical simulation
Numerical simulation of electromagnetic DC casting of magnesium alloys, 194
Determination of welding deformation in fillet-welded joint by means of numerical simulation and comparison with experimental measurements, 219
Optimization of injection molding process parameters using combination of artificial neural network and genetic algorithm method, 412

Optimization
Optimization of surface grinding operations using a differential evolution approach, 202
Optimization of injection molding process parameters using combination of artificial neural network and genetic algorithm method, 412
Orthogonal cutting
Experimental cutting model of metal matrix composites (MMCs), 358

PAW
Effects of strain rate and welding current mode on microstructural properties of SUS 304L PAW welds, 183
Pearlitic steel
Focused ion beam study of the effects of shot peening on the subsurface microstructure of normalized pearlitic steel, 160
Phase transformation
Finite element investigation of multi-phase transformation within carburized carbon steel, 241
Plastic injection molding
Optimization of injection molding process parameters using combination of artificial neural network and genetic algorithm method, 412
Plasticity
Analytical modelling of residual stresses in machining, 77

Polycrystalline diamond (PCD)
Experimental cutting model of metal matrix composites (MMCs), 358
Polyvinyl chloride
Study of performance properties of lignin-based polyblends with polyvinyl chloride, 273
Population balance model
Analysis of the multidimensional behavior of granulation, 140
Powder loading
Effect of powder loading on metal injection molding stainless steels, 432
Pressureless infiltration
Microstructure and impact behavior of Al/SiC_p composites fabricated by pressureless infiltration with different types of SiC_p, 368
Process constraints
Optimization of surface grinding operations using a differential evolution approach, 202
Process modeling
A theoretical and experimental investigation on limitations of pulsed laser drilling, 96
Processing maps
High temperature deformation behavior of near alpha Ti–5.6Al–4.8Sn–2.0Zr alloy, 71
Development of processing maps for Al/SiC_p composite using fuzzy logic, 104
Production capability index
Predicting the performance of submerged arc furnace with varied raw material combinations using artificial neural network, 111
Profile
Basics of linear flow splitting, 249

Quality control
Artificial neural networks for quality control by ultrasonic testing in resistance spot welding, 226
Quenching
Effect of section size and agitation on heat transfer during quenching of AISI 1040 steel, 1
Finite element investigation of multi-phase transformation within carburized carbon steel, 241

Rapid manufacturing
Engineering Assisted Surgery™: A route for digital design and manufacturing of customised maxillofacial implants, 333
Raw materials
Predicting the performance of submerged arc furnace with varied raw material combinations using artificial neural network, 111
Regression analysis
Development of processing maps for Al/SiC_p composite using fuzzy logic, 104
Residual stress
Analytical modelling of residual stresses in machining, 77
Resistance spot welding
Artificial neural networks for quality control by ultrasonic testing in resistance spot welding, 226
Rework and reprocessing
Optimal matching for inline resource selection when errors exist in error measurement—A relay production system case study, 277
Rigid-plasticity
Rigid-plastic analysis for metal forming processes using a reproducing kernel particle method, 256
Ring upsetting
Ring upsetting simulation by the meshless method of corrected smooth particle hydrodynamics, 425
Roll forming
Basics of linear flow splitting, 249
Round billet
Inverse problem-based analysis on non-uniform profiles of thermal resistance between strand and mould for continuous round billets casting, 49

Sawing
Effect of cutting mode on the sawability of granites using segmented circular diamond sawblade, 399
Section thickness
Effect of section size and agitation on heat transfer during quenching of AISI 1040 steel, 1
SEM
Performance of ZrB_2–Cu composite as an EDM electrode, 122
High stress abrasive wear study on bamboo, 155
Semi-solid die casting
Numerical integration design process to development of suspension parts by semi-solid die casting process, 18
Sensitivity analysis
Sensitivity analysis of a novel tactile probe for measurement of tissue softness with applications in biomedical robotics, 176
Sensor
Impact velocity measurement of media in a vibratory finisher, 347
Sheet bending model
Identification of elasto-plastic characteristics by means of air-bending test, 127
Sheet forming
Simulation of earing during deep drawing of an Al–3% Mg alloy (AA 5754) using a texture component crystal plasticity FEM, 169
Sheet metal
Basics of linear flow splitting, 249
Sheet metal forming
A new strategy to optimize variable blank holder force towards improving the forming limits of aluminum sheet metal forming, 339
Shot peening
Focused ion beam study of the effects of shot peening on the subsurface microstructure of normalized pearlitic steel, 160
SiAlON
Mechanical and tribological properties of Nd- and Yb-SiAlON composites sintered by hot isostatic pressing, 264
SiC dissolution
Microstructure and impact behavior of Al/SiC_p composites fabricated by pressureless infiltration with different types of SiC_p, 368
Simulation
Numerical integration design process to development of suspension parts by semi-solid die casting process, 18
Rigid-plastic analysis for metal forming processes using a reproducing kernel particle method, 256
Ring upsetting simulation by the meshless method of corrected smooth particle hydrodynamics, 425
Single particle
A new nonlinear-micro-contact model for single particle in the chemical–mechanical polishing with soft pad, 374
Sintering
Processing of unglazed ceramic tiles from blast furnace slag, 13
Performance of ZrB_2–Cu composite as an EDM electrode, 122
Slag film
Inverse problem-based analysis on non-uniform profiles of thermal resistance between strand and mould for continuous round billets casting, 49
Soft pad
A new nonlinear-micro-contact model for single particle in the chemical–mechanical polishing with soft pad, 374
Softness measurements
Sensitivity analysis of a novel tactile probe for measurement of tissue softness with applications in biomedical robotics, 176
Solder joint
Thermo-fatigue life evaluation of SnAgCu solder joints in flip chip assemblies, 6
Specific cutting pressure
Effect of specific cutting pressure and temperature during machining of carbon/phenolic ablative composite using PCBN tools, 88

Spent Li-ion batteries
Synthesis, characterization and magnetic properties of microcrystalline lithium cobalt ferrite from spent lithium-ion batteries, 117
Spray deposition
An investigation on the microstructure and mechanical properties of spray-deposited Al–8.5Fe–1.1V–1.9Si alloy, 386
Springback compensation
Identification of elasto-plastic characteristics by means of air-bending test, 127
304L stainless steel
Effects of strain rate and welding current mode on microstructural properties of SUS 304L PAW welds, 183
316L stainless steel powder
Fabrication of thin-walled 316L stainless steel seamless pipes by extrusion technology, 57
Stainless steels
Effect of powder loading on metal injection molding stainless steels, 432
Strain
A new method for estimating strain in equal channel angular extrusion, 148
Strain distribution
Characterization of tensile properties of tailor welded IF steel sheets and their formability in stretch forming, 321
Strain rate effect
Effects of strain rate and welding current mode on microstructural properties of SUS 304L PAW welds, 183
Stretch forming
Characterization of tensile properties of tailor welded IF steel sheets and their formability in stretch forming, 321
Submerged arc furnace
Predicting the performance of submerged arc furnace with varied raw material combinations using artificial neural network, 111
Superalloys
Mechanical and microstructural behaviour of CMSX-4 Ni-based superalloy joined by capacitor discharge welding, 297
Effect of melt treatment on carbides formation in a cast nickel-base superalloy M963, 440
Superplastic forming
Superplastic forming and diffusion bonding for honeycomb structure of Ti–6Al–4V alloy, 450
Surface grinding
Optimization of surface grinding operations using a differential evolution approach, 202
Surface quality
Investigation of micro-injection moulding: Factors affecting the replication quality, 284
Surface roughness
Profile wear of resin-bonded nickel-coated diamond wheel and roughness in creep-feed grinding of cemented tungsten carbide, 165
Swift's law
Identification of elasto-plastic characteristics by means of air-bending test, 127
Synthetic technique
Study on synthesis and properties of modified starch binder for foundry, 407

Tactile probe
Sensitivity analysis of a novel tactile probe for measurement of tissue softness with applications in biomedical robotics, 176
Tailor welded blanks
Characterization of tensile properties of tailor welded IF steel sheets and their formability in stretch forming, 321
Temperature
Analytical modelling of residual stresses in machining, 77
Effect of specific cutting pressure and temperature during machining of carbon/phenolic ablative composite using PCBN tools, 88
Finite element investigation of multi-phase transformation within carburized carbon steel, 241
Temperature field
Determination of welding deformation in fillet-welded joint by means of numerical simulation and comparison with experimental measurements, 219
Tensile tests
Characterization of tensile properties of tailor welded IF steel sheets and their formability in stretch forming, 321
Texture
Simulation of earing during deep drawing of an Al–3% Mg alloy (AA 5754) using a texture component crystal plasticity FEM, 169
Thermal resistance
Inverse problem-based analysis on non-uniform profiles of thermal resistance between strand and mould for continuous round billets casting, 49
Thin-walled seamless pipe
Fabrication of thin-walled 316L stainless steel seamless pipes by extrusion technology, 57
Three-dimensional finite element analysis
Finite element investigation of multi-phase transformation within carburized carbon steel, 241
Ti–6Al–4V alloy
Superplastic forming and diffusion bonding for honeycomb structure of Ti–6Al–4V alloy, 450
TiC
In situ TiC particles reinforced grey cast iron composite fabricated by laser cladding of Ni–Ti–C system, 380
Titanium
Investigation for ultrasonic machining of titanium and its alloys, 363
Titanium alloy
High temperature deformation behavior of near alpha Ti–5.6Al–4.8Sn–2.0Zr alloy, 71
Tool
Laser treatment of cemented carbide cutting tool, 234
Tough material
Investigation for ultrasonic machining of titanium and its alloys, 363
Transverse shrinkage
Determination of welding deformation in fillet-welded joint by means of numerical simulation and comparison with experimental measurements, 219
Treatment
Laser treatment of cemented carbide cutting tool, 234
Twinning
Effects of strain rate and welding current mode on microstructural properties of SUS 304L PAW welds, 183

Ultrafine grain
Application of electrical contact heating in grain refining of ultra-pure 42CrMoVNb steel, 33
Ultrasonic drilling
Investigation for ultrasonic machining of titanium and its alloys, 363
Ultrasonic oscillograms
Artificial neural networks for quality control by ultrasonic testing in resistance spot welding, 226
Undercooling
Eutectic growth of unidirectionally solidified bismuth–cadmium alloy, 310
Up-cutting
Effect of cutting mode on the sawability of granites using segmented circular diamond sawblade, 399

Velocity
Impact velocity measurement of media in a vibratory finisher, 347
Vibratory finishing
Impact velocity measurement of media in a vibratory finisher, 347

Wall tiles
Processing of unglazed ceramic tiles from blast furnace slag, 13
Wear
Wear resistance of aluminium alloy and its composites reinforced by Al_2O_3 particles, 301
Effect of cutting mode on the sawability of granites using segmented circular diamond sawblade, 399
Wear resistance
Mechanical and tribological properties of Nd- and Yb-SiAlON composites sintered by hot isostatic pressing, 264
In situ TiC particles reinforced grey cast iron composite fabricated by laser cladding of Ni–Ti–C system, 380
Welding deformation
Determination of welding deformation in fillet-welded joint by means of numerical simulation and comparison with experimental measurements, 219
Wheel wear
Profile wear of resin-bonded nickel-coated diamond wheel and roughness in creep-feed grinding of cemented tungsten carbide, 165

Yield surface
Simulation of earing during deep drawing of an Al–3% Mg alloy (AA 5754) using a texture component crystal plasticity FEM, 169

Search engine: Try Scirus at www.scirus.com